



# Department of Toxic Substances Control



Edwin F. Lowry, Director  
5796 Corporate Avenue  
Cypress, California 90630

Gray Davis  
Governor

Winston H. Hickox  
Agency Secretary  
California Environmental  
Protection Agency

July 3, 2003

Mr. Michael Gonzales  
Remedial Project Manager, Code 5DEN.MG  
Naval Facilities Engineering command  
Southwest Division  
1220 Pacific Highway  
San Diego, California 92132-5190

APPROVAL OF FINAL SITE INSPECTION REPORT SITE 26 OUTLYING LANDING  
FIELD SAN NICOLAS ISLAND, DATED JUNE 2002, NAVAL BASE VENTURA  
COUNTY, POINT MUGU, CALIFORNIA

Dear Mr. Gonzales:

The Department of Toxic Substances Control (DTSC) has reviewed the subject document and there is no further comment from us. The Los Angeles Regional Water Quality Control Board also concurred that no further action (NFA) is warranted at this location, with regard to arsenic in near surface soil, or buried drums. DTSC hereby approves this Site Inspection Report.

If you have any question, please call me at (714) 484-5431.

Sincerely,

Peter Chen  
Remedial Project Manager  
Office of Military Facilities

cc: Mr. Alan Vancil  
Southwest Division, NAVFAC Code 5DEN.AV  
1220 Pacific Highway, Building 131  
San Diego, California 92132-5190

*The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption.  
For a list of simple ways you can reduce demand and cut your energy costs, see our Web-site at [www.dtsc.ca.gov](http://www.dtsc.ca.gov).*

♻️ Printed on Recycled Paper